

**MIXTURE OF TRACE ELEMENTS IN SUSPENSION WITH ALGAE EXTRACTS FOR FOLIAR APPLICATION**  
**USE: FOLIAR BIOSTIMULANT BASED ON TRACE ELEMENTS AND SEAWEED EXTRACTS**

**GUARANTEED CONTENTS:**

Water-soluble cobalt (Co).....	2.0% w/w
of which Cobalt (Co) chelated by EDTA.....	2.0% w/w
Water-soluble molybdenum (Mo).....	3.0% w/w
Mannitol.....	0.2% w/w

**Species based seaweed extract:** *Ascophyllum nodosum* and *Ecklonia maxima*.

pH range in which a good stability of the chelated fraction is guaranteed: pH between 2 and 11.

**DOSES AND DIRECTIONS FOR USE:**

Carefully read the instructions on the label before using the product.

The product is designed for foliar applications, according to the doses and conditions of use recommended in the table below. It will be the user's responsibility to increase or decrease them according to the crop's characteristics, always following the advice of a specialist technician. It is recommended to perform any compatibility test before using the product. Agitate well before use.

**CONDITIONS FOR USE:**

CONDITIONS FOR USE						
Crop						Growth Stage
Stone fruit	✓	0.20%	3.0 - 4.0 L/ha	3	1500-2000	Every 10-15 days from 30 days before the first picking (30/15/5 days before harvest). For cherry trees, apply every 7 to 10 days from the colour change of the fruit to yellow. Maximum 2 applications.
Orchards	✓	0.20%	3.0 - 4.0 L/ha	3	1500-2000	Every 10-15 days from 30 days before the first picking (30/15/5 days before harvest)
	✓	0.20%	3.0 - 4.0 L/ha	3	1500-2000	Every 10-15 days from 30 days before the first picking (30/15/5 days before harvest)
Persimmon	✓	0.20%	3.0 - 4.0 L/ha	1 - 5	1500-2500	From BBCH 82, every 20 days
	✓	0,12%	3.0 - 4.0 L/ha	3 - 5	2500-3000	Every 15 days from 30 days before the first picking
Citrus	✓	0.12%	3.0 - 4.0 L/ha	1 - 2	2500-3000	From petal fall and in the following 30 days
	✓	0.12%	3.0 - 4.0 L/ha	1 - 2	2500-3000	From the beginning of change of green tones and in the following 25 days
Grapes	✓	0.40%	2.8 - 4 L/ha	2	700-1000	From BBCH 82, every 20 days
Foliar application		Optimal dosage	Use dose per application(s)	Number of application(s) per year	Treatment volume (L) (Minimum-Maximum)	

**Storage:**

Store the containers in a dry and well-ventilated place, far from sources of heat and direct solar light avoiding extreme temperatures below 0 °C or above 35 °C. Keep away from any flame. Keep away from any oxidising agents and from highly acidic or alkaline materials. Do not smoke. Keep the product in containers made of a material identical to the original. Never use pressure to empty the containers. They are not pressure-resistant containers.

**MODE OF ACTION:**

**HoldPlus** is a foliar Biostimulant that avoids stress during fruit ripening improving fruit quality. It allows growers a costeffective harvest by grouping the number of picking without affecting fruit firmness. The **Stoller Technology** present in **HoldPlus** production stimulates plant nutrition processes by activating plant's stress-relievers.

Fertiliser used in organic agriculture according to EU regulation no. 2018/848.

**USE RECOMMENDATIONS:**

**Precautions for use:**

If the recommended technical measures are observed, no individual protection equipment is necessary. If the product is handled correctly, no individual protection equipment is necessary. Use of work footwear with "CE" marking, Category II, according to CEN standards EN ISO 13287 and EN 20347. In the application area, smoking, eating, and drinking must be prohibited. Follow legislation on occupational health and safety.

**In case of accidental spillage or release:**

Prevent the contamination of drains, surface or subterranean waters, and the ground. Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. The contaminated area should be immediately cleaned with an appropriate de-contaminator. Pour the decontaminator on the remains in an opened container and let it act various days until no further reaction is produced.

**Compatibility:**

The product is compatible with most liquid fertilisers, always recommending mixtures in a neutral pH environment. Any mixture should be made and applied at the same time and we recommend to previously consult with your distributor or local representative. In any case, we recommend making a small-scale test before using the product. In any mixtures, a previous small-scale test is recommended.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

**Caution:**

STOLLER EUROPE, S.L.U. provides recommendations for use based on its experience. A large number of uncontrollable factors (preparation of the mixture, climatology, type of application, etc.) can be involved. Therefore, the user will be responsible for any damage that may occur.

**Read the label carefully before use**

Classification according to regulation (EU) No 1272/2008 (CLP):



GH507  
**WARNING**

CAS: 15137-09-4  
Contains: cobalt disodium  
ethylenediaminetetraacetate

**CLASSIFICATION OF THE PRODUCT:**

H317. May cause an allergic skin reaction.

**Precautionary Statement:**

P102. Keep out of reach of children.  
P261. Avoid breathing dust/fume/gas/mist/vapours/spray.  
P270. Do not eat, drink or smoke when using this product.  
P280. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...  
P302+P352. IF ON SKIN: Wash with plenty of water.  
P331. Specific treatment (see the label).  
P333+P313. If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364. Take off contaminated clothing and wash it before reuse.  
P501. Dispose of contents/container to a waste bin.

**NET MASS:** 6.2 kg

To be used only where there is recognised need.  
Do not exceed the appropriate application rates.

**NET VOLUME:** 5 L

**MANUFACTURED BY:** STOLLER EUROPE, S.L.U.

**SOLUBLE CONCENTRATE (SL)**

**BATCH NUMBER:**

**PRODUCTION DATE:**