



# STRAIGHT LIQUID INORGANIC MACRONUTRIENT FERTILISER: [PFC 1 (C)(I)(b)(i)] MINERAL FERTILISER SOLUTION (Mg) (2) WITH MICRONUTRIENTS

DECLARED CONTENT:	
2.0% w/w	Water-soluble magnesium oxide (MgO)
	Water-soluble boron (B)
0.1% w/wWate	r-soluble copper (Cu), 0.1% w/w complexed by gluconic acid from gluconate
2.0% w/w V	Vater-soluble iron (Fe), 2.0% w/w complexed by gluconic acid from gluconate
1.0% w/w Water-so	luble manganese (Mn), 1.0% w/w complexed by gluconic acid from gluconate
0.08% w/w	
0.16% w/w Wa	ter-soluble zinc (Zn), 0.16% w/w complexed by gluconic acid from gluconate
pH range guaranteeing acceptable stability	of the chelated fraction: pH between 1 and 9.

#### Unintentional N and P2Os content:

1 2% w/w ..Nitrogen (N)

### LIST OF INGREDIENTS:

Magnesium Gluconate<sup>1</sup> (CAS no. 3632-91-5), Boric Acid<sup>1</sup> (CAS no. 10043-35-3), Iron Gluconate<sup>1</sup> (CAS No. 299-29-6), Manganese Gluconate1 (CAS no. 6485-39-8). <sup>1</sup>Virgin material substances and mixtures.

#### INSTRUCTIONS FOR USE:

FoliMix is a liquid fertiliser designed to target the nutritional needs of the crop in the secondary element magnesium and a combination of microelements which are essential to optimize the agronomic and productive potential of the crop. FoliMix is an ideal solution to avoid the deficiencies of both magnesium and essential microelements for the development of the plant's vital functions. The presence of microelements complexed by Gluconic acid is important for increasing their stability and ease of absorption into plant tissues.

INSTRUCTIONS AND APPLICATION RATES											
	Crop		٠.	٥٥		Ē		Growth Stage			
Fruiting vegetables				~			5-7 L/ha		2-6 applications every 15-30 day		
	Protected		~	0.43	0.42.0/	% 700-1000	3-5 L/ha		5-12 applications every 7-15 day		
	Open field		~		0.43 %				2-6 applications every 15-30 day		
Leaf vegetables				$\overline{}$			5-7 L/ha		2-6 applications every 15-30 day		
	Protected		~		0.43 %	700-1000	3-5 L/ha		5-12 applications every 7-15 day		
	Open field		~						2-6 applications every 15-30 day		
Tubers, bulbs and root vegetables				~			5-7 L/ha		2-6 applications every 15-30 day		
			~			700-1000	3-5 L/ha				
				~			5-7 L/ha		2-6 applications every 15-30 days		
	Stone fruit, pome frui		~		0.30 %	1000-1500	3-5 L/ha				
	Tropical, nuts, persim	mon, pomegranate	~		0.15 %	2000-2500	3-5 L/ha				
Sapling trees				~			3-5 L/ha		2-6 applications every 15-30 day		
			~			700-1000	2-3 L/ha				
Citrus				~		5-7 L/ha	rrom sprouding to narvest	2-6 applications every 15-30 day			
			~		0.12 %	2500-3000	000 3-5 L/ha		2-0 applications every 13-30 day		
Olive trees				~			5-7 L/ha		2-6 applications every 15-30 days		
			~		0.15 %	2000-2500					
				~			5-7 L/ha		2-6 applications every 15-30 days		
	Table grapes		~		0.15 %	2000-2500	3-5 L/ha				
	Vines		~		0.60 %	500-700	3-5 L/ha				
Berries				~			3-5 L/ha		2-6 applications every 7-15 days		
	Protected		~		0.42 %	3 % 700-1000	2 5 1 /ba				
	Open field		✓ °		U.TJ /6	700-1000	3-3 L/IIa				
,			· ·		0.42 %	6 700-1000	3-5 L/ha 3-5 L/ha				
	Protected							2-6 apr	2-6 applications every 7-15 days		
	Open field		~	U.43 /6							
Foliar ap	plication 00 li	rigation applicat	ion	0	) See	d treatme	nt	Furrow treatm	ent		
Optimal dose Dosage min - ma:				-	Treatment volume (L) Treat. Vol (L) min - max 🛗 Frequence						

If you have any questions, please contact Stoller Europe, or the distributor of Stoller Europe, or your technical advisor, for more specific recommendations.

## Observations:

Carefully read the instructions on the label before using the product.

The product is compatible with most liquid fertilisers. However, it is recommended not to mix the product with other fertilisers containing phosphates.

Any mixture should be made and applied at the same time and we recommend to previously consult with your distributor or local representative. To be used only where there is a recognised need. Do not exceed the application rate. It will be the user's responsibility to increase or decrease them according to the crop's characteristics, always following the advice of a specialist technician. In any case, we recommend making a small-scale test before using the product.

#### RECOMMENDED STORAGE CONDITIONS:

Store according to local legislation. Observe indications on the label. Store the containers between 0 and 35 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills. Please also refer to the information provided in the Material Safety Data Sheet (MSDS).

# SAFETY AND ENVIRONMENTAL INFORMATION:

Carefully read the instructions on the label before using the product. To avoid risks to human health and the environment, comply with the instructions for use.

Labelling in accordance with Regulation (EC) No 1272/2008:



# PRODUCT CLASSIFICATION:

Hazard statements

H315. Causes skin irritation.

H318. Causes serious eye damage.

H335. May cause respiratory irritation.

H360FD. May damage fertility. May damage the unborn child.

H412. Harmful to aquatic life with long lasting effects.

Precautionary statements:

P201. Obtain special instructions before use.

P273. Avoid release to the environment

P280. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...

P305+P351+P338. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P308+P313. IF exposed or concerned: Get medical advice/attention.

P310. Immediately call a POISON CENTER/doctor if you feel unwell.

# OTHER INFORMATION/ADDITIONAL INFORMATION:

Professional use.

STOLLER EUROPE S.L.U. makes all the recommendations based on experience. A lot of uncontrollable factors (preparation of mixtures, climatology, application forms, etc.) may be involved. Therefore, the user will be responsible for any damage that may occur.



Manufactured by: STOLLER EUROPE, S.L.U. A Stoller Group Company

Elche Parque Empresarial C/ Max Planck, 1. 03203 Elche, Alicante (Spain) (+34) 965 110 522 info@stollereurope.com www.stollereurope.com

This document is a reference tool and may only be used as such. The appropriate product label is the one shown on the packaging and printed time of purchase.

PHYSICAL FORM: Liquid in solution

NET MASS: 6.2 kg NET VOLUME: 5 I

LOT NUMBER: