

Keylate B



STRAIGHT INORGANIC MICRONUTRIENT FERTILISER: [PFC 1(C)(II)(a)] MICRONUTRIENT SOLUTION FERTILISER

DECLARED CONTENT:

10.0% w/w Water-soluble Boron (B), from boron ethanoline

Unintentional N and P₂O₅ content:

4.0% w/w Nitrogen (N)

LIST OF INGREDIENTS:

Boron ethanoline¹ (CAS no. 68425-67-2).

¹Virgin material substances and mixtures.

INSTRUCTIONS FOR USE:

Keylate B is a liquid fertiliser developed to counteract boron deficiencies. Boron is fundamental element for the construction of the cell wall, production of phytohormones and transport of photosynthates. The **Stoller Technology** present in the formulation allows the product to be absorbed, translocated and assimilated in a more efficient way.

INSTRUCTIONS AND APPLICATION RATES

Crop	Application Method	Concentration	Volume	Rate	Growth stage	Frequency	
Fruiting vegetables	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	5-12 Applications every 7-15 days
	Open field	✓					2-6 Applications every 15-30 days
Leaf vegetables	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	5-12 Applications every 7-15 days
	Open field	✓					2-6 Applications every 15-30 days
Tubers	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest		
Bulbs	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	2-6 Applications every 15-30 days	
Root vegetables	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest		
Orchards	Stone fruit	✓	0.30%	1000-1500			
	Pome fruit	✓					
	Tropical	✓					
	Nuts	✓					
	Persimmon	✓	0.15%	2000-2500	3-5 L/ha	From sprouting to harvest	2-6 Applications every 15-30 days
	Pomegranate	✓					
Sapling trees	✓	0.30%	700-1000	2-3 L/ha	From sprouting to harvest	2-6 Applications every 15-30 days	
Citrus	✓	0.12%	2500-3000	3-5 L/ha	From sprouting to harvest		
Olive trees	✓	0.15%	2000-2500	3-5 L/ha	From sprouting to harvest	2-6 Applications every 15-30 days	
Grapes	Table grapes	✓	0.15%	2000-2500			
	Vines	✓	0.60%	500-700	3-5 L/ha	From sprouting to harvest	2-6 Applications every 15-30 days
Berries	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	
	Open field	✓					2-6 Applications every 7-15 days
Strawberry	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	
	Open field	✓					

☞ Foliar application ☞ Irrigation application ☞ Seed treatment ☞ Furrow treatment
☞ Optimal dose ☞ Dosage min - max ☞ Treatment volume (L) ☞ Treat. Vol (L) min - max ☞ Frequency

RECOMMENDED STORAGE CONDITIONS:

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 0 and 35 °C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills. Please also refer to the information provided in the Material Safety Data Sheet (MSDS).

SAFETY AND ENVIRONMENTAL INFORMATION:

Carefully read the instructions on the label before using the product. To avoid risks to human health and the environment, comply with the instructions for use.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

OTHER INFORMATION/ADDITIONAL INFORMATION:

Professional use.

WARNING:

STOLLER EUROPE S.L.U. makes all the recommendations based on experience. A lot of uncontrollable factors (preparation of mixtures, climatology, application forms, etc.) may be involved. Therefore, the user will be responsible for any damage that may occur.

If you have any questions, please contact Stoller Europe, or the distributor of Stoller Europe, or your technical advisor, for more specific recommendations.

Observations:

Carefully read the instructions on the label before using the product.

Keylate B is designed for foliar applications. The product is compatible with most liquid fertilisers in accordance with its composition, as well as other agrochemicals. However, if mixing is desired, it is advisable to consult your local distributor or representative in advance.

Use only in cases of known necessity. These doses are merely indicative, and it will be the user's responsibility to increase or decrease them according to the crop's characteristics, always following the advice of a specialist technician. In any case, we recommend making a small-scale test before using the product.



Manufactured by:
STOLLER EUROPE, S.L.U.
A Stoller Group Company
Elche Parque Empresarial
C/ Max Planck, 1.
03203 Elche, Alicante (Spain)
(+34) 965 110 522
info@stollereurope.com
www.stollereurope.com

This document is a reference tool and may only be used as such. The appropriate product label is the one shown on the packaging and printed at the time of purchase.



PHYSICAL FORM: Liquid in solution

NET MASS: 6.8 kg

NET VOLUME: 5 L

LOT NUMBER: