

Keylate Mg



**COMPOUND LIQUID INORGANIC MACRONUTRIENT FERTILISER: [PFC 1(C)(I)(b)(ii)]
MINERAL FERTILISER SOLUTION (Mg-S) (5-10)**

DECLARED CONTENT:

5.0% w/w Water-soluble Magnesium oxide (MgO)
10.0% w/w Water-soluble Sulfur trioxide (SO₃)

LIST OF INGREDIENTS:

Magnesium sulphate* (CAS no. 10034-99-8).
*Virgin material substances and mixtures.

INSTRUCTIONS FOR USE:

Keylate Mg is a liquid fertiliser developed to counteract magnesium deficiencies. Magnesium is a fundamental element for photosynthesis in plants. The **Stoller Technology** present in the formulation allows the product to be absorbed, translocated and assimilated in a more efficient way.

INSTRUCTIONS AND APPLICATION RATES							
Crop					Growth stage		
Fruiting vegetables	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	5-12 Applications every 7-15 days
	Open field	✓					2-6 Applications every 15-30 days
Leaf vegetables	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	5-12 Applications every 7-15 days
	Open field	✓					2-6 Applications every 15-30 days
Tubers	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest		2-6 Applications every 15-30 days
Bulbs	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest		2-6 Applications every 15-30 days
Root vegetables	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest		
Orchards	Stone fruit	✓	0.30%	1000-1500	3-5 L/ha	From sprouting to harvest	2-6 Applications every 15-30 days
	Pome fruit	✓					
	Tropical	✓					
	Nuts	✓					
	Persimmon	✓	0.15%	2000-2500			
Pomegranate	✓						
Sapling trees	✓	0.30%	700-1000	2-3 L/ha	From sprouting to harvest		2-6 Applications every 15-30 days
Citrus	✓	0.12%	2500-3000	3-5 L/ha	From sprouting to harvest		2-6 Applications every 15-30 days
Olive trees	✓	0.15%	2000-2500	3-5 L/ha	From sprouting to harvest		2-6 Applications every 15-30 days
Grapes	Table grapes	✓	0.15%	2000-2500	3-5 L/ha	From sprouting to harvest	2-6 Applications every 15-30 days
	Vines	✓	0.60%	500-700			
Berries	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	2-6 Applications every 7-15 days
	Open field	✓					
Strawberry	Protected	✓	0.43%	700-1000	3-5 L/ha	From sprouting to harvest	2-6 Applications every 7-15 days
	Open field	✓					

Foliar application Irrigation application Seed treatment Furrow treatment
 Optimal dose Dosage min - max Treatment volume (L) Treat. Vol (L) min - max Frequency

If you have any questions, please contact Stoller Europe, or the distributor of Stoller Europe, or your technical advisor, for more specific recommendations.

Observations:

Carefully read the instructions on the label before using the product.

Keylate Mg is designed for foliar applications. The product is compatible with most liquid fertilisers. However, if mixing is desired, it is advisable to consult your local distributor or representative in advance.

These doses are indicative, and it will be the user's responsibility to increase or decrease them according to the crop's characteristics, always following the advice of a specialist technician. In any case, we recommend making a small-scale test before using the product.

RECOMMENDED STORAGE CONDITIONS:

Store according to local legislation. Observe indications on the label. Store the containers between 0 and 35 °C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorised persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills. Please also refer to the information provided in the Material Safety Data Sheet (MSDS).

Manufactured by:
STOLLER EUROPE, S.L.U.
A Stoller Group Company
Elche Parque Empresarial
C/ Max Planck, 1.
03203 Elche, Alicante (Spain)
(+34) 965 110 522
info@stollereurope.com
www.stollereurope.com



SAFETY AND ENVIRONMENTAL INFORMATION:

Carefully read the instructions on the label before using the product. To avoid risks to human health and the environment, comply with the instructions for use. Labeling in accordance with Regulation (EC) No 1272/2008:



DANGER

PRODUCT CLASSIFICATION:

Hazard statements:

H302. Harmful if swallowed.
H314. Causes severe skin burns and eye damage.
H335. May cause respiratory irritation.

Precautionary statements:


P280. Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/...
P303+P361+P353. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P338. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310. Immediately call a POISON CENTER/doctor if you feel unwell.
P403+P233. Store in a well-ventilated place. Keep container tightly closed.

OTHER INFORMATION/ADDITIONAL INFORMATION:

Professional use.

WARNING:

STOLLER EUROPE S.L.U. makes all the recommendations based on experience. A lot of uncontrollable factors (preparation of mixtures, climatology, application forms, etc.) may be involved. Therefore, the user will be responsible for any damage that may occur.



This document is a reference tool and may only be used as such. The appropriate product label is the one shown on the packaging and printed at the time of purchase.

PHYSICAL FORM: Liquid in solution
NET MASS: 6.3 kg
NET VOLUME: 5 L
LOT NUMBER: