

StarterMn Platinum

**STRAIGHT LIQUID INORGANIC MACRONUTRIENT FERTILISER: [PFC 1(C)(l)(b)(i)]
MINERAL FERTILISER N (SO₂) 5 (11.5) WITH MICRONUTRIENTS IN SOLUTION**

DECLARED CONTENT:

5.0 % w/w	Total nitrogen (N)
5.0 % w/w	Ureic nitrogen (N)
11.5 % w/w	Water-soluble sulphur trioxide (SO ₂)
0.3 % w/w	Water-soluble boron (B)
0.3 % w/w	Water-soluble copper (Cu), from sulphate
5.0 % w/w	Water-soluble manganese (Mn), from sulphate
0.05 % w/w	Water-soluble molybdenum (Mo), from sodium
3.0 % w/w	Water-soluble zinc (Zn), from sulphate

LIST OF INGREDIENTS:

Manganese sulphate* (CAS: 10034-96-5), Urea¹ (CAS: 57-13-6), Zinc sulphate¹ (CAS: 7446-19-7),
¹Virgin material substances and mixtures.

INSTRUCTIONS FOR USE:

StarterMn Platinum is a liquid fertiliser composed of a micronutrient complex that provides manganese, boron, copper, molybdenum, zinc, nitrogen, and sulfur. **StarterMn Platinum** promotes nutritional balance for higher crop productivity and profitability. The **Stoller Technology** present in its formulation allows it to be mixed with other Stoller Solutions and guarantees rapid absorption and retention for better use of nutrients.

INSTRUCTIONS AND APPLICATION RATES			
Crop	Application	Rate	Growth stage
Arables	Wheat, barley, rye, triticale, oats, sorghum...	✓ 0.65 % 300-500	From tillering to flag leaf BBCH 21-39 (Z21-Z39)
	Corn	✓ 0.65 % 300-500	Vegetative development stages BBCH 14-18
Oilseed crops and pulses	Sunflower seed	✓ 0.65 % 300-500	Vegetative development stages BBCH 14-18 (V4-V8)
	Soybean, rapeseed, pea, bean	✓ 0.65 % 300-500	Vegetative and pod development BBCH 14-79 (V4-R5)
Fructing vegetables, tubers		✓ 0.30 % 700-1000	Vegetative development until flowering BBCH 14-51
Leaf vegetables, bulbs, root vegetables		✓ 0.30 % 700-1000	Vegetative development BBCH 14-51
Grasses, lucerne		✓ 0.65 % 300-500	2-3 applications every 15 days
Orchards	Stone fruit, pome fruit, tropical	✓ 0.30 % 1000-1500	From sprouting until setting
	Nuts, pomegranate	✓ 0.10 % 2000-2500	
Sapling trees		✓ 0.30 % 700-1000	2-3 applications every 7-15 days
Citrus		✓ 0.08 % 2500-3000	Vegetative development until first blooming BBCH 14-51
Olive trees		✓ 0.10 % 2000-2500	
Berries	Grapes	✓ 0.30 % 700-1000	Vegetative development until first blooming BBCH 14-51
	Vines	✓ 0.40 % 500-700	
Strawberry		✓ 0.30 % 700-1000	

If you have any questions, please contact Stoller Europe, or the distributor of Stoller Europe, or your technical advisor, for more specific recommendations.

Observations:

The product is compatible with the most common fertilisers. However, if mixing is desired, it is advisable to consult your local distributor or representative in advance. To be used only where there is a recognised need. Do not exceed the application rate. These doses are indicative, and it will be the user's responsibility to increase or decrease them according to the crop's characteristics, always following the advice of a specialist technician. In any case, we recommend making a small-scale test before using the product.

RECOMMENDED STORAGE CONDITIONS:


Store the containers between 0 and 35 °C. General conditions for storage: avoid sources of heat, radiation, static electricity and contact with food. Please also refer to the information provided in the Material Safety Data Sheet (MSDS).

Manufactured by:
STOLLER EUROPE, S.L.U.
A Stoller Group Company
Elche Parque Empresarial
C/ Max Planck, 1.
03203 Elche, Alicante (Spain)
(+34) 965 110 522
info@stollereurope.com
www.stollereurope.com



SAFETY AND ENVIRONMENTAL INFORMATION:

Carefully read the instructions on the label before using the product. To avoid risks to human health and the environment, comply with the instructions for use.
Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.



DANGER

Manganese sulphate · (H₂O) (CAS: 10034-96-5)
Zinc sulfate monohydrate (CAS: 7446-19-7)
Copper sulfate pentahydrate (CAS: 7758-99-8)

PRODUCT CLASSIFICATION:

Hazard statements: H411: Toxic to aquatic life with long lasting effects. H318: Causes serious eye damage. H373: May cause damage to organs through prolonged or repeated exposure. **Precautionary statements:** P260: Do not breathe dust/fume/gas/mist/vapours/spray. P273: Avoid release to the environment. P280: Wear protective gloves/face protection/protective clothing/respiratory protection/protective footwear. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor. P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively.

This fertiliser contains urea, which can release ammonia and have an impact on air quality. Depending on local conditions, appropriate remediation measures must be taken.

OTHER INFORMATION/ADDITIONAL INFORMATION:

Professional use.

Warning:

Stoller Europe S.L.U. makes all the recommendations based on experience. A lot of uncontrollable factors (preparation of mixtures, climatology, application forms, etc.) may be involved. Therefore, the user will be responsible for any damage that may occur.

This document is a reference tool and may only be used as such. The appropriate product label is the one shown on the packaging and printed at the time of purchase.

PHYSICAL FORM:	Liquid in solution
NET MASS:	6.7 kg e
NET VOLUME:	5 L e
LOT NUMBER:	

